THE TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE

Volume 162

September — December 1990

EDITORIAL BOARD

N. TAIRA (Sendai)
Editor-in-Chief

S. FUJIMURA (Sendai)
K. HARUMI (Tokyo)
N. HAYASHI (Sendai)
M. HOMMA (Kobe)
M. IMAI (Tokyo)
Y. IWASAKI (Sendai)
T. KISHIMOTO (Osaka)
K. KOGURE (Sendai)
K. NARISAWA (Sendai)
T. OGIHARA (Osaka)
H. SATOH (Sendai)
T. TABIRA (Tokyo)
T. TACHIBANA (Sendai)
H. TAGAMI (Sendai)
F. TAKAKU (Tokyo)
T. TAKISHIMA (Sendai)
T. TOYOTA (Sendai)
J. UCHINO (Sapporo)
Y. WADA (Nagoya)
H. WAKASA (Fukushima)
H. WATANABE (Kyoto)

PUBLISHED BY

TOHOKU UNIVERSITY MEDICAL PRESS

SENDAI, JAPAN

CONTENTS

Vol. 162, No. 1, September 1990

Normal human epidermal keratinocyte-derived neutrophil chemotactic factor. *H. Takematsu, N. Isono, T. Kato and H. Tagami* 1

Clinical features of sustained ventricular tachycardia among various underlying heart diseases. *K. Suzuki* 15

Effects of intracerebroventricular administration of adrenoceptor-agonists on the regulation of renal water and electrolytes handling through endocrine, renal and hemodynamic function. *K. Ota, T. Kimura, M. Shoji, M. Inoue, K. Sato, M. Ohta, T. Yamamoto, K. Tsunoda, K. Abe and K. Yoshinaga* 27

Analyses of airstepping movement in adult spinal dogs. *A. Naito, Y. Shimizu and Y. Handa* 41

Functional and phenotypic characteristics of effusion-associated lymphoid cells cultured in the presence of either recombinant interleukin 2 or T-cell growth factor from malignant pleural and peritoneal effusions in patients with advanced carcinoma. *T. Ebihara and S. Koyama* 49

Evaluation of the individual effects of a health education program for sodium restriction by a simple method for measuring 24-hour urinary sodium excretion. *K. Takemori, S. Nihira, S. Mikami and N. Sasaki* 65

Effect of alcohol ingestion on urinary excretion and intraerythrocyte concentrations of sodium and potassium. *H. Koyama, S. Suzuki and H. Satoh* 73

Immunohistochemical demonstration of α_1-antichymotrypsin and α_1-antitrypsin in salivary gland pleomorphic adenomas of children. *H. Takahashi, S. Fujita, N. Tsuda, F. Tezuka and H. Okabe* 79

Increased plasma glucagon-like immunoreactivity in dogs with ileojejunal transposition. *A. Ohneda, T. Tsuchiya, H. Naito, I. Sasaki, M. Ohneda and T. Kawamura* 95

Vol. 162, No. 2, October 1990

Pulmonary vascular disease in shunted and nonshunted patients with tetralogy of Fallot. *S. Yamaki* 109

Somatostatin in rat retina: Localization by in situ hybridization histochemistry and immunocytochemistry. *V.P. Gaur, K. Yamaguchi and J.E. Turner* 121

Selection of monoclonal antibodies detecting KM01 antigen. *Y. Kano, T. Taniguchi, Y. Uemura, K. Yokoyama, H. Ohyanagi and Y. Saitoh* 127

A family case of nephrogenic diabetes insipidus. *T. Okayasu, K. Shigihara, N. Kobayashi, A. Ishikawa, N. Fukushima, A. Takase, S. Hattori, T. Nakajima, T. Shishido and Y. Agatsuma* 137

Differential effects of a single dose of cyclophosphamide on T cell subsets of

the thymus and spleen in mice: Flow cytofluorometry analysis. *A. Miyauchi, C. Hiramine, S. Tanaka and K. Hojo* 147

Effects of antiepileptic drugs and organic brain damage on SCE frequency in cerebral palsies. *K. Yamamoto, T. Kohnosu, K. Nakagawara and K. Sakai* 169

The effect of OP 2507, a stable analogue of prostacyclin, on Hep G2 exposed to hypoxia. *K. Irita, H. Sakai, H. Isobe, M. Yamakawa, H. Nawata and J. Yoshitake* 177

Effects of glycyrrhizin (SNMC: Stronger Neo-Minophagen C®) in hemophilia patients with HIV-1 infection. *K. Mori, H. Sakai, S. Suzuki, Y. Akutsu, M. Ishikawa, M. Imaizumi, K. Tada, M. Aihara, Y. Sawada, M. Yokoyama, Y. Sato, Y. Endo, Z. Suzuki, S. Sato, H. Sasaki, S. Yokoyama, T. Hayashi, T. Uchida, K. Hiwatashi, N. Ishida, M. Fujimaki and K. Yamada* 183

Subclinical liver dysfunction in one-month-old infants with a low activity of vitamin K dependent coagulant factors assessed by normotest. *Y. Tazawa, S. Hayamizu, K. Tamaoki and R. Chiba* 195

Vol. 162, No. 3, November 1990

Effects of digoxin on blood pressure responses to norepinephrine, angiotensin II and vasopressin in conscious rats. *M. Yasujima, K. Abe, M. Tanno, M. Kohzuki, M. Kanazawa, K. Yoshida, K. Omata, M. Sato, K. Takeuchi, M. Hiwatari, T. Sato and K. Yoshinaga* 203

$CD8^+$ T cell subsets of cytotoxic T lymphocytes induced by Epstein-Barr virus infection in infectious mononucleosis. *T. Ebihara, N. Sakai and S. Koyama* 213

Effects of co-dergocrine mesylate (Hydergine®) in multi-infarct dementia as evaluated by positron emission tomography. *H. Nagasawa, K. Kogure, K. Kawashima, T. Ido, M. Itoh and J. Hatazawa* 225

Plasma renin activity, angiotensin II, prostacyclin and thromboxane A_2 concentrations in 139 preeclamptic patients. *N. Furuhashi, M. Tsujiei, H. Kimura, A. Yajima, C. Kimura and Y. Ide* 235

Autoproliferative and self-reactive T-cell lines from patients with HTLV-I-associated myelopathy. *K. Usuku, M. Nishizawa, N. Eiraku, M. Osame and T. Tabira* 243

Postoperative gastrointestinal hemorrhage in biliary atresia. *T. Chiba, I. Mochizuki and R. Ohi* 255

Serum Lp(a) lipoprotein concentrations of Japanese patients with coronary heart disease. *R. Sano, A. Fujino, H. Shimazu, M. Kobayashi, Y. Yahata, A. Ogyuu, K. Suzuki, M. Kitagawa, T. Saito and H. Inokuchi* 261

Glomerular filtration response to acute loading with protein from different sources in healthy volunteers and diabetic patients. *H. Nakamura, M. Yamazaki, Y. Chiba, N. Tamura, T. Momotsu, S. Ito, A. Shibata, K. Kamoi and T. Yamaji* 269

Axonal degeneration of the peripheral nerves and postganglionic anhidrosis in a patient with multiple sclerosis. *H. Saito, K. Kobayashi, H. Mochizuki and T. Ishii* 279

Vol. 162, No. 4, December 1990

Japanese dietary intake of salt and protein — Relating to the strategy of salt restriction —. *S. Sakata and M. Moriyama* 293

Permanent brain damage possibly caused by theophylline in two elderly patients with airway obstruction. *K. Sekizawa, T. Aikawa, M. Yanai, S. Itabashi, T. Fukushima and H. Sasaki* 303

Epithelial cell clusters of distal convoluted tubules in end-stage chronic glomerulonephritis. *M. Ueda, T. Fujimoto and H. Wanibuchi* 309

Studies on synthesis of interleukin-6 and gammaglobulin in peripheral blood mononuclear cells of patients with systemic lupus erythematosus. *C. Hashimoto* 323

Determinants of maximum walking speed in hemiparetic stroke patients. *K. Suzuki, R. Nakamura, Y. Yamada and T. Handa* 337

Prolonged hypoxemia after 10 min walking exercise in aged patients with chronic obstructive pulmonary disease. *T. Fukushima, T. Ohrui, S. Itabashi, K. Sekizawa, T. Aikawa, M. Yanai, H. Sasaki and T. Takishima* 345

Role of autonomic nervous system in the response of plasma pancreatic polypeptide to glycopenia in dogs. *F. Koizumi, M. Ohneda and A. Ohneda* 355

Short Reports

Multiple myeloma associated with amyloidosis and t(1 ; 20)(q21 ; q11) translocation. *K. Otokida, H. Yoshida, Y. Mizunuma, M. Yamada and K. Hiramori* 363

Ultraviolet-B phototest in patients with atopic dermatitis. *W. Torinuki* 367